



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/001,818	12/05/2001	Su-Yueh Hsieh Hung	3380-0148P	2821

2292 7590 08/11/2004

BIRCH STEWART KOLASCH & BIRCH
PO BOX 747
FALLS CHURCH, VA 22040-0747

EXAMINER

EDWARDS JR, TIMOTHY

ART UNIT	PAPER NUMBER
----------	--------------

2635

DATE MAILED: 08/11/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/001,818

Applicant(s)

HSIEH HUNG, SU-YUEH

Examiner

Timothy Edwards, Jr.

Art Unit

2635

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 December 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-4 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 05 December 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Claims 1-4 are rejected under 35 U.S.C. 102(e) as being anticipated by Amano et al '684.

Considering claim 1, Amano discloses an exercise workout support device comprising, a) a wireless pulsation detector for detecting heartbeat signals and transmitting heartbeat signal (see col 2, lines 26-36, see fig 29); b) a wireless receiving display for displaying the heartbeat value (see col 34, line 53 to col 35, line 15, see fig 29); c) the wireless pulsation detector having at least one

Art Unit: 2635

heartbeat detector, a signal processing circuit (see col 7, lines 6-17 and fig 1, items 101, 1021, 103) and a wireless transmitter circuit (see col 3, lines 7-12 and lines 42-60, col 26, lines 42-66, also fig 29, item 100); d) heartbeat detector detects the pulsation signals from the finger tip (see col 2, lines 26-36 and col 28, lines 20-48, also fig 32); e) the pulsation signals are converted and amplified by the signal processing circuit (see col 7, lines 6-17).

Examiner interprets the phrase "more stable signal" to refer to means of attaching the pulsation detector, per applicant's specification page 4, lines 21-24. Applicant does not recite a means or method of stabilizing a signal in any other manner.

Considering claim 2, Amano discloses the limitation of this claim in col 28, lines 20-48, see fig 32.

Considering claim 3, Amano discloses the limitation of this claim in col 34, line 65 to col 35, line 15.

Considering claim 4, Amano discloses the limitation of this claim see fig 29.

1. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure is Hisano et al '049, Nagashima '664, Yamazaki et al '836, Chen et al '251 and Sham et al '042. Hisano, Yamazaki and Chen disclose methods of detecting a heart rate through a users finger or ear using infrared

Art Unit: 2635

detectors. Sham et al and Nagashima disclose transmitting heart rate data wirelessly to a receiver.

2. Any inquiry concerning this communication should be directed to Examiner Timothy Edwards at telephone number (703) 305-4896. The examiner can normally be reached on Monday-Thursday, 8:30 a.m.-4:00 p.m. The examiner cannot be reached on Fridays.

If attempt to reach the examinee by telephone are unsuccessful, the examiner's supervisor, Michael Horabik, can be reached on (703) 305-4704.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 305-4700, Mon-Fri., 8:30 a.m.-5:00 p.m.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks
Washington, D.C. 20231

or fax to:


(703), 872-9314 (for formal communications intended for entry)

Or:

(for informal or draft communications, please label "PROPOSED" or "DRAFT")

Art Unit: 2635

Hand-delivered responses should be brought to Crystal Park II,
2121 Crystal Drive, Arlington. VA, Sixth Floor (Receptionist).



Timothy Edwards, Jr.
Primary Examiner
August 5, 2004